

**NEW HYDROVAR®  
WATERCOOLED**



Hydrovar® Watercooled and Teknospeed variable speed electric pumps with constant pressure control







## PRODUCT RANGE

### TECHNICAL DATA (HYDRAULIC PERFORMANCE AT 50Hz)






HYDROVAR® WATERCOOLED VARIABLE SPEED ELECTRIC PUMPS: **SINGLE-PHASE POWER INPUT** 1x(230±15%) V 50/60Hz

The supply includes electronic gauge, power cable and plug, and motor cable

HYDROVAR® WATERCOOLED	PUMP TYPE*	P Nom [kW]	I Nom [A]	Q1 [l/min]	Q2 [l/min]	H1 [m]	H2 [m]	
	<b>HVW/HMZ HORIZONTAL MULTI-STAGE WITH PLASTIC IMPELLERS</b>							
		HVW/2HM5ZT	0.55	3.7	20	70	40.0	16.5
		HVW/2HM7ZT	0.75	5.1	20	70	50.8	20.5
	<b>HVW/BG SELF-PRIMING WITH AISI 304 STEEL IMPELLERS</b>							
		HVW/BG7	0.75	5.1	20	60	38.1	25.6
		<b>HVW/CA-CEA WITH AISI 304 STEEL SINGLE/TWIN IMPELLERS</b>						
		HVW/CA80/5	0.75	5.1	30	100	30.0	21.0
		HVW/CA70/33	0.75	5.1	30	80	38.8	23.9

TEKNOSPEED VARIABLE SPEED ELECTRIC PUMPS: **SINGLE-PHASE POWER INPUT** 1x(230±10%) V 50/60Hz

The supply includes a pressure transmitter, a power cable with plug and a motor heat probe (PTC).

TEKNOSPEED	PUMP TYPE*	P Nom [kW]	I Nom [A]	Q1 [l/min]	Q2 [l/min]	H1 [m]	H2 [m]	
	<b>TKS/HMZ HORIZONTAL MULTI-STAGE WITH PLASTIC IMPELLERS</b>							
		TKS/4HM4ZT	0.45	3.0	40	120	19.3	7.6
		TKS/4HM5ZT	0.55	3.5	40	120	28.6	11.5
		TKS/4HM9ZT	1.1	6.8	40	120	49.9	21.2
	<b>TKS/BG SELF-PRIMING WITH AISI 304 STEEL IMPELLERS</b>							
		TKS/BG11	1.1	6.8	20	70	45.8	30.3
		<b>TKS/CA-CEA WITH AISI 304 STEEL SINGLE/TWIN IMPELLERS</b>						
		TKS/CA120/5	1.1	6.8	60	160	28.2	17.3
		TKS/CA70/44	1.1	6.8	30	80	49.5	34.0
	<b>TKS/SV VERTICAL MULTI-STAGE WITH AISI 304 STEEL IMPELLERS</b>							
	TKS/SV206F07T	0.75	4.9	20	70	56.0	22.0	
	TKS/SV208F11T	1.1	6.8	20	70	75.0	30.0	
	TKS/SV404F07T	0.75	4.9	40	133	34.0	10.0	
	TKS/SV407F11T	1.1	6.8	40	133	59.5	18.0	

For details about the materials of the pump components, please see the General Catalogue.

\*Frequency converter connected to a three-phase pump with a 230 V delta connection

## CONSTANT PRESSURE CONTROL

**HYDROVAR® WATERCOOLED** (up to 0.75 kW) and **TEKNOSPEED** (up to 1.1 kW) pumps meet the needs of every residential application and guarantee constant pressure. The pumps are controlled by a frequency converter that modulates rotation speed as required.



### USER COMFORT

- **Constant pressure at your outlet.**

No more temperature variations when using water at home (the mixture of hot and cold water does not change even if other taps are opened).



### SILENT RUNNING

- **Peaceful sleeping with Lowara variable speed pumps.**

The motors work at variable speed and consequently have a reduced noise level.



### RELIABILITY

- **Pump protection.**

The HYDROVAR® WATERCOOLED and TEKNOSPEED systems are both designed for the installation of a float for protection against running dry. The HYDROVAR® WATERCOOLED model also vaunts a built-in "Minimum pressure threshold" protection that stops the pump whenever no water is present.

In this way, the pump is also protected against operating out of range.

- **Optimum hydraulic circuit operation.**

Whenever working with a gas burner, the constant pressure provided also optimises the operation of the heating system.



• Needs limited space?  
Large pressure vessels are no longer needed for control of the pumps



### ENERGY SAVING

- **The pump pays for itself in a very short time.**


With the new frequency converter, the pumps only consume the power that is strictly necessary.



### EXTENDED PUMP LIFE-TIME

- **Minimum maintenance.**

The variable speed motor reduces mechanical stress on the pump components and water hammering during stopping.



### QUICK AND EASY INSTALLATION

- **Connect and go!**

Both TEKNOSPEED and HYDROVAR® WATERCOOLED pumps are completely pre-set by the Manufacturer. The user is only required to make the electric connection using the power supply plug provided and to set the desired pressure (by potentiometer for the TEKNOSPEED; by keyboard for HYDROVAR® WATERCOOLED models).

## ACCESSORIES

### HYDROVAR® WATERCOOLED




#### HYDROVAR® WATERCOOLED HYDRAULIC KIT

- For horizontal pumps:  
HVW/HMZ, HVW/BG, HVW/CEA, HVW/CA
- Includes: 8 liter hydrotube, union tee, and non-return valve

#### FLOAT SWITCH

- With 1.5 metre long cable.

### TEKNOSPEED



#### TEKNOSPEED HYDRAULIC KIT

- For horizontal pumps:  
TKS/HMZ, TKS/BG, TKS/CEA, TKS/CA
- Includes 8 litre Hydrotube, Pressure gauge, 5-way connector, Check valve, Pipe extension

#### PRESSURE GAUGE

- Pressure range (0±10 bar)
- Inlet union 1/4"

#### FLOAT SWITCH

- With 1.5 metre long cable.

## Headquarters

**LOWARA S.r.l. - 36075 Montecchio Maggiore - Vicenza - Italy**  
Tel. +39 0444 707111 - Telefax +39 0444 492166  
e-mail: [mkt@lowara.ittind.com](mailto:mkt@lowara.ittind.com) - <http://www.lowara.com>

### "WATER TECHNOLOGY GROUP - EMEA" ITALIAN SALES NETWORK

**BARI** 70026 Modugno - Via X Marzo, 110 P  
Tel. 080 5327453 - Fax: 080 5327926  
e-mail: [bari@lowara.ittind.com](mailto:bari@lowara.ittind.com)

**BOLOGNA** 40132 - Via Panigale, 74/C  
Tel. 051 6415666 - Fax: 051 6415527  
e-mail: [bologna@lowara.ittind.com](mailto:bologna@lowara.ittind.com)

**BRESCIA** 25124 - Via Volta, 37  
Tel. 030 3531909 - Fax: 030 3534661  
e-mail: [brescia@lowara.ittind.com](mailto:brescia@lowara.ittind.com)

**CAGLIARI** 09100 - Via Dolcetta, 19  
Tel. 070 287762 - 292192 - Fax: 070 280946  
e-mail: [cagliari@lowara.ittind.com](mailto:cagliari@lowara.ittind.com)

**CATANIA** 95027 S. Gregorio - Via XX Settembre, 75  
Tel. 095 7123226 - 7123987 - Fax: 095 498902  
e-mail: [catania@lowara.ittind.com](mailto:catania@lowara.ittind.com)

**CHIETI** 66020 Sambuceto di S. Giovanni Teatino - Via Aldo Moro, 125  
Tel. 085 4461360 - 4460231 - 4460449 - Fax: 085 4460630  
e-mail: [pescara@lowara.ittind.com](mailto:pescara@lowara.ittind.com)

**MILANO** 20090 Trezzano sul Naviglio - Via Goldoni, 29  
Tel. 02 48464476 - Fax: 02 4451634  
e-mail: [milano@lowara.ittind.com](mailto:milano@lowara.ittind.com)

**NAPOLI** 80017 Melito di Napoli - Corso Europa, 369 - Scala "A" int. 11-12  
Tel. 081 7113065 - 7113631 - Fax: 081 7115761  
e-mail: [napoli@lowara.ittind.com](mailto:napoli@lowara.ittind.com)

**PADOVA** 35020 Albignasego - Via A. Volta, 56 - Zona Mandriola  
Tel. 049 8801110 - 8801408 - Fax: 049 8801408  
e-mail: [bassano@lowara.ittind.com](mailto:bassano@lowara.ittind.com)

**PERUGIA** 06100 - Centro Direzionale Piazza Settevalli,  
Via Settevalli, 133C, Torre 2°, 3° Piano  
Tel. 075 5057126 - Fax: 075 5051242  
e-mail: [perugia@lowara.ittind.com](mailto:perugia@lowara.ittind.com)

**PISA** 56025 Località Gello di Pontedera (Pisa) - Via di Gello, 55  
Tel. 0587 296264 - 296286 - Fax: 0587 296410  
e-mail: [pisa@lowara.ittind.com](mailto:pisa@lowara.ittind.com)

**PORDENONE** 33082 Azzano Decimo Pordenone - Via 1° Maggio, 65/A  
Tel. 0434 633243 - Fax: 0434 632729  
e-mail: [pordenone@lowara.ittind.com](mailto:pordenone@lowara.ittind.com)

**ROMA** 00173 Via Frasinetto, 8  
Tel. 06 7235890 (2 linee) - Fax: 06 7234617  
e-mail: [roma@lowara.ittind.com](mailto:roma@lowara.ittind.com)

**TORINO** 10156 - Via Torre Pellice, 17  
Tel. 011 2979022 - 2979046 - Fax: 011 2979001  
e-mail: [torino@lowara.ittind.com](mailto:torino@lowara.ittind.com)

**VICENZA** 36061 Bassano del Grappa - Via Pigafetta, 6  
Tel. 0424 566776 (R.A. 3 Linee) - Fax: 0424 566773  
e-mail: [bassano@lowara.ittind.com](mailto:bassano@lowara.ittind.com)

### "WATER TECHNOLOGY GROUP - EMEA" EUROPEAN SALES NETWORK

**LOWARA DEUTSCHLAND GmbH**  
Biebigheimer Straße 12 63762 Großostheim - (OT Wenigumstadt) - D  
Tel. 0 60 26 9 43 - 0 - Fax: 0 60 26 9 43 - 2 10  
e-mail: [info.de@lowara.ittind.com](mailto:info.de@lowara.ittind.com) - <http://www.lowara.de>

**LOWARA FRANCE S.A.S.**  
BP 57311 - 37073 TOURS CEDEX 2  
Tel. (0033) 02 47 88 17 17 - Fax: (0033) 02 47 88 17 00  
e-mail: [info.fr@lowara.ittind.com](mailto:info.fr@lowara.ittind.com) - <http://www.lowara.fr>

**LOWARA FRANCE SAS Agence Sud**  
Z.I. La Sipière  
BP 23  
13730 Saint Victoret - F  
Tél. (0033) 04 42 10 02 30 - Fax (0033) 04 42 10 43 75

**LOWARA NEDERLAND B.V.**  
POSTBUS 54 - 4180 BB Waardenburg  
Tel. 0031 - (0)418 - 65 50 60 - Fax: 0031 - (0)418 - 65 50 61  
e-mail: [info.nl@lowara.ittind.com](mailto:info.nl@lowara.ittind.com) - <http://www.lowara.nl>

**LOWARA PORTUGAL, Lda**  
Praçeta da Castanheira, 38 - 4475-019 Barca Portugal  
Tel. 00 351 22 9478550 - Fax: 00 351 22 9478570  
e-mail: [info.pt@lowara.ittind.com](mailto:info.pt@lowara.ittind.com) - <http://www.lowara.pt>

**LOWARA UK Ltd. Main office**  
Millwey Rise Industrial Estate - Axminster, Devon EX 13 5HU - GB  
Tel. 01297 630200 - Fax: 01297 630270  
e-mail: [lowarauk.south@itt.com](mailto:lowarauk.south@itt.com) - <http://www.lowara.co.uk>

**LOWARA IRELAND Ltd.**  
59 Broomhill Drive - Tallaght Industrial Estate  
Tallaght - DUBLIN 24 - EIRE  
Tel. (1) 4520266 - Fax: (1) 4520725  
e-mail: [lowara.ireland@itt.com](mailto:lowara.ireland@itt.com) - <http://www.lowara.ie>

**PUMPENFABRIK ERNST VOGEL GmbH**  
Ernst Vogel-Strasse 2  
A-2000 STOCKERAU  
Tel. 0043 2266 604 - Fax: 0043 2266 65311  
e-mail: [info@vogel-pumpen.ittind.com](mailto:info@vogel-pumpen.ittind.com) - <http://www.vogel-pumpen.com>

**LOWARA VOGEL SZIVATTYU KFT**  
Berenyi ut. 102  
HU - 8000 Szekesfehervar  
HUNGARY  
Tel. +36 22 512 645 - Fax: +36 22 512 642

**LOWARA VOGEL POLSKA Sp. z o.o.**  
Ul. Worcella 16  
PL- 40-652 KATOWICE  
Tel. 0048 32 202 8904 - Fax: 0048 32 202 5452