Printing date 02.08.2012 Version number 3 Revision: 26.07.2012

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Testomat-Indikator Typ 302
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation: Reagent for analysis
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Gebrüder Heyl Analysentechnik GmbH & Co. KG Orleansstraße 75 b D-31135 Hildesheim Phone +49 (0) 5121 289330 Fax +49 (0) 5121 2893367 E-Mail info@heyl.de Internet www.heyl.de

- · Further information obtainable from: product safety department
- · Emergency telephone number: Giftinformationszentrum Nord Phone +49 (0) 551 19240

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Xi; Irritant

R36: Irritating to eyes.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

- · Label elements
- · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xi Irritant

· Risk phrases:

36 Irritating to eyes.

· Safety phrases:

23 Do not breathe spray.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

This material and its container must be disposed of as hazardous waste.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC

Printing date 02.08.2012 Version number 3 Revision: 26.07.2012

Trade name: Testomat-Indikator Typ 302

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 110-97-4 EINECS: 203-820-9 Index number: 603-083-00-7	1,1'-iminodipropan-2-ol Xi R36 ♦ Eye Irrit. 2, H319	2,5-10%
CAS: 111-42-2 EINECS: 203-868-0 Index number: 603-071-00-1	2,2'-iminodiethanol Xn R22-48/22; Xi R38-41 STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315	2,5-10%
EINECS: 239-803-8	Ethylendiamintetraacetic acid dipotassium magnesium salt Xi R36/37/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	≤2,5%
CAS: 547-58-0 EINECS: 208-925-3	sodium 4-(4-dimethylaminophenylazo)benzenesulphonate T R25 Acute Tox. 3, H301	<i>≤</i> 2,5%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

A person vomiting while laying on their back should be turned onto their side.

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

 Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

Printing date 02.08.2012 Version number 3 Revision: 26.07.2012

Trade name: Testomat-Indikator Typ 302

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the material collected according to regulations.

Clean the affected area carefully; suitable cleaners are:

Warm water

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

- · Recommended storage temperature: 15 25 °C
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection: Not required.

(Contd. on page 4)

Printing date 02.08.2012 Version number 3 Revision: 26.07.2012

Trade name: Testomat-Indikator Typ 302

(Contd. of page 3)

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Green
Characteristic

• **pH-value at 20°C:** 10

· Change in condition

Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined.

Flash point: Not applicable.Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

• **Density at 20°C:** 1,12 g/cm³

· Solubility in / Miscibility with

water: Fully miscible.

Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

Exothermic neutralisation reaction with acids.

Under certain conditions possible formation of nitrosamines in the presence of nitrites or reagents causing nitrosation.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 5)

Printing date 02.08.2012 Version number 3 Revision: 26.07.2012

Trade name: Testomat-Indikator Typ 302

(Contd. of page 4)

· Incompatible materials:

Acids, nitrites, reagents causing nitrosation.

Do not use tools made of aluminium or copper or their alloys.

· Hazardous decomposition products: Nitrogen oxides

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification:

111-42-2 2,2'-iminodiethanol

Oral LD50 1600 mg/kg (rat) Dermal LD50 12200 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

EI

Printing date 02.08.2012 Version number 3 Revision: 26.07.2012

Trade name: Testomat-Indikator Typ 302

(Contd. of page 5)

UN-Number	
ADR, ADN, IMDG, IATA	Void
UN proper shipping name ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
Packing group ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	ll of Not applicable.
Transport/Additional information:	Not dangerous according to the above specification

15 Regulatory information

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation
H373	May cause damage to organs t

through prolonged or repeated exposure.

R22 Harmful if swallowed. R25 Toxic if swallowed. Irritating to eyes. R36

R36/37/38 Irritating to eyes, respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

Harmful: danger of serious damage to health by prolonged exposure if swallowed. R48/22

- · Department issuing MSDS: product safety department.
- Contact:
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 7)

Page 7/7

Safety data sheet according to 1907/2006/EC

Printing date 02.08.2012 Version number 3 Revision: 26.07.2012

Trade name: Testomat-Indikator Typ 302

IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

· * Data compared to the previous version altered.

(Contd. of page 6)